

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | F | ILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | O. CONFIRMATION NO. | |
|-------------------------------------|--------|------------|----------------------|-------------------------|---------------------|--|
| 09/960,398 | į | 09/24/2001 | Masaki Kurasawa | 011254 | 011254 5650 | |
| 23850 | 7590 | 09/02/2003 | | | | |
| ARMSTRONG, WESTERMAN & HATTORI, LLP | | | | EXAM | EXAMINER | |
| 1725 K STR SUITE 1000 | - | , | LE, THAO X | | | |
| WASHINGT | ON, DC | 20006 | | | | |
| | , | | | ART UNIT | PAPER NUMBER | |
| | | | | 2814 | | |
| | | | | DATE MAILED: 09/02/2003 | | |
| | | | | | | |

Please find below and/or attached an Office communication concerning this application or proceeding.

| | | | N ^e |
|---|--|---|----------------|
| | Application No. | Applicant(s) | |
| | 09/960,398 | KURASAWA ET AL. | |
| Office Action Summary | Examiner | Art Unit | |
| | Thao X Le | 2814 | |
| The MAILING DATE of this communication appeariod for Reply | ppears on the cover sheet w | th the correspondence address | í |
| A SHORTENED STATUTORY PERIOD FOR REP THE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a re - If NO period for reply is specified above, the maximum statutory perio - Failure to reply within the set or extended period for reply will, by statu. - Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b). Status | l. 1.136(a). In no event, however, may a reply within the statutory minimum of third will apply and will expire SIX (6) MONute, cause the application to become AB | eply be timely filed y (30) days will be considered timely. THS from the mailing date of this communi | cation. |
| 1) Responsive to communication(s) filed on 11 | 1 July 2003 . | | |
| | This action is non-final. | | |
| 3) Since this application is in condition for allow | | tters, prosecution as to the me | rits is |
| closed in accordance with the practice unde | | | |
| 4)⊠ Claim(s) <u>1-28</u> is/are pending in the application | on. | | |
| 4a) Of the above claim(s) <u>15-28</u> is/are withdra | awn from consideration. | | |
| 5) Claim(s) is/are allowed. | | | |
| 6)⊠ Claim(s) <u>1-14</u> is/are rejected. | | | |
| 7) Claim(s) is/are objected to. | | | |
| 8) Claim(s) are subject to restriction and | or election requirement. | | |
| Application Papers | | | |
| 9) The specification is objected to by the Examir | ner. | | |
| 10)⊠ The drawing(s) filed on 10 June 2003 is/are: a | a)⊠ accepted or b)⊡ objecte | d to by the Examiner. | |
| Applicant may not request that any objection to t | | | |
| 11) The proposed drawing correction filed on | | isapproved by the Examiner. | |
| If approved, corrected drawings are required in r | • | | |
| 12) The oath or declaration is objected to by the E | =xaminer. | | |
| Priority under 35 U.S.C. §§ 119 and 120 | | | |
| 13) Acknowledgment is made of a claim for foreign | gn priority under 35 U.S.C. | § 119(a)-(d) or (f). | |
| a)⊠ All b)□ Some * c)□ None of: | | | |
| 1. Certified copies of the priority docume | | | |
| 2. Certified copies of the priority docume | | · · | |
| 3. Copies of the certified copies of the pri application from the International E * See the attached detailed Office action for a list | Bureau (PCT Rule 17.2(a)). | | 3 |
| 14) Acknowledgment is made of a claim for domes | stic priority under 35 U.S.C. | § 119(e) (to a provisional appl | ication). |
| a) ☐ The translation of the foreign language p 15)☐ Acknowledgment is made of a claim for dome. | • • | | |
| Attachment(s) | one priority under 00 0.0.0. | JJ FEE GIGIOT FEET. | |
| 1) Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449) Paper No(s) | 5) Notice of | Summary (PTO-413) Paper No(s) Informal Patent Application (PTO-152) | |
| | | | |

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

2. Claims 1-5, 7, 9, 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over US 5619393 to Summerfelt et al. in view of US 6294860 to Shimada et al.

Regarding to claim 1, Summerfelt discloses a capacitor in fig. 19 comprising: a buffer structure 34 formed on a substrate 30, a lower electrode 36 formed on the buffer structure 34, a capacitor dielectric film 38 formed on the lower electrode 36, and formed of a perovskite ferroelectric material having a smaller thermal expansion coefficient (CTE) than that of the buffer structure, an upper electrode 40 formed on the capacitor dielectric film, the buffer structure having a height larger than a width thereof.

But Summerfelt does not expressly disclose the perovskite ferroelectric material having a crystal oriented substantially perpendicular to a surface of the lower electrode

However, Shimada reference discloses a capacitor structure in fig. 2 comprises a substrate 10, a buffer layer 11/11A, a lower electrode 12, a perovskite ferroelectric (PZT) material having a crystal oriented substantially perpendicular to a surface of the lower electrode, see abstract. At the time the invention was made; it would have been obvious to one of ordinary skill in the art to use the PZT crystal orientation teaching of Shimada in place of Summerfelt's device, because it would have provided a high piezoelectric strain constant and a good adhesion with a lower electrode which can be produced without being cracked as taught by Shimada, see abstract.

With respect to the perovskite ferroelectric material having a smaller thermal expansion coefficient (CTE) than that of the buffer structure, it is known that Pallidium has the CTE about $13x10^{-6}/C^{\circ}$, while PZT has the CTE about $1.8x10^{-6}/C^{\circ}$.

With respect to suppress stress applied to the capacitor dielectric film caused by a CTE difference between the substrate and the capacitor dielectric. This function is obvious in the structure because the when the structure recited in the reference is substantially identical to that of the claims, claimed properties or functions are presumed to be either anticipation or obviousness. *In re Best*, 195 USPQ 430, 433 (CCPA 1977).

Regarding to claim 2, Summerfelt discloses the silicon substrate 30 and PZT capacitor dielectric 38; therefore the CTE of PZT would be larger than that of the silicon substrate.

Regarding to claim 3, as discussed in the claims 1 and 2 above; Summerfelt and Shimada disclose all the limitations in claim 3.

Regarding to claim 4, Summerfelt discloses the platinum (Pt) lower electrode 36 and PZT capacitor dielectric 38; therefore the CTE of Pt metal would be larger than that of the PZT.

Regarding to claims 5, 7, 9 and 11, Summerfelt does not disclose the capacitor wherein the capacitor dielectric film 38 has (001) oriented tetragonal and (111) oriented rhombohedral crystal structure.

However, Shimada reference discloses the capacitor wherein the capacitor dielectric film 14 has (001) oriented tetragonal and (111) oriented rhombohedral crystal structure, column 4 line 45-52. At the time the invention was made; it would have been obvious to one of ordinary skill in the art to use the PZT crystal orientation teaching of Shimada in place of Summerfelt's device, because it would have provided a high piezoelectric strain constant and a good adhesion with a lower electrode which can be produced without being cracked as taught by Shimada, see abstract.

Claims 1-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over US 5619393 3. to Summerfelt et al. in view of JP 02000286396 to Hiyama et al.

Regarding to claim 1, Summerfelt discloses a capacitor in fig. 19 comprising: a buffer structure 34 formed on a substrate 30, a lower electrode 36 formed on the buffer structure 34, a capacitor dielectric film 38 formed on the lower electrode 36, and formed of a perovskite ferroelectric material having a smaller thermal expansion coefficient (CTE) than that of the buffer structure, an upper electrode 40 formed on the capacitor dielectric film, the buffer structure having a height larger than a width thereof.

But Summerfelt does not expressly disclose the perovskite ferroelectric material having a crystal oriented substantially perpendicular to a surface of the lower electrode

However, Hiyama reference discloses a capacitor comprising: a buffer structure 3 formed on a substrate 1, a lower electrode 4 formed on the buffer structure 3, a capacitor dielectric film 5 formed on the lower electrode 4, and formed of a perovskite ferroelectric material (PZT), having a crystal oriented substantially perpendicular to a surface of the lower electrode 4. At the time the invention was made; it would have been obvious to one of ordinary skill in the art to use the PZT crystal orientation teaching of Hiyama in place of Summerfelt's device, because it would have provided a FeRAM can be driven by the low battery as taught by Hiyama, see attachment [001].

With respect to the perovskite ferroelectric material having a smaller thermal expansion coefficient (CTE) than that of the buffer structure, it is known that Palladium has the CTE about $13x10^{-6}/C^{\circ}$, while PZT has the CTE about $1.8x10^{-6}/C^{\circ}$.

With respect to suppress stress applied to the capacitor dielectric film caused by a CTE difference between the substrate and the capacitor dielectric. This function is obvious in the structure because the when the structure recited in the reference is substantially identical to that of the claims, claimed properties or functions are presumed to be either anticipation or obviousness. *In re Best*, 195 USPQ 430, 433 (CCPA 1977).

Regarding to claim 2, Summerfelt discloses the silicon substrate 30 and PZT capacitor dielectric 38; therefore the CTE of PZT would be larger than that of the silicon substrate.

Regarding to claim 3, as discussed in the claims 1 and 2 above; Summerfelt and Hiyama disclose all the limitations in claim 3.

Regarding to claim 4, Summerfelt discloses the platinum (Pt) lower electrode 36 and PZT capacitor dielectric 38; therefore the CTE of Pt metal would be larger than that of the PZT.

Regarding to claims 5-12, Summerfelt does not disclose the capacitor wherein the capacitor dielectric film 38 has (001) oriented tetragonal and (111) oriented rhombohedral crystal structure and the lower electrode 4 has (100) and (111) cubic oriented crystal structure.

However, Hiyama reference discloses the capacitor wherein the capacitor dielectric film 14 has (001) oriented tetragonal and (111) oriented rhombohedral crystal structure and the lower electrode 4 has (100) and (111) cubic oriented crystal structure, see abstract. At the time the invention was made; it would have been obvious to one of ordinary skill in the art to use the PZT crystal orientation teaching of Hiyama in place of Summerfelt's device, because it would have provided a FeRAM can be driven by the low battery as taught by Hiyama, see attachment [001].

4. Claims 13-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over US 5619393 to Summerfelt et al. in view of JP 02000286396 to Hiyama et al and US Pub 2002/0063274 to Kanaya et al.

Regarding to claims 13-14, as discussed in the above claims 1 and 3, Summerfelt and Hiyama disclose all the limitation recited in claim 13, except a semiconductor device comprises a memory cell transistor formed on a semiconductor substrate, and including a gate electrode, and source/drain diffused layers formed in the semiconductor substrate respectively on both sides of the gate electrode, an insulating film covering the semiconductor substrate with the memory cell transistor formed on, a titanium buffer structure, formed on the insulation film.

However, Kanaya reference discloses Kanaya discloses a semiconductor device in fig. 4B comprising: a memory cell transistor 10 formed on a semiconductor substrate 1, and including a gate electrode 12, and source/drain diffused layers 13/14 formed in the

semiconductor substrate respectively on both sides of the gate electrode, an insulating film 2a/2b covering the semiconductor substrate with the memory cell transistor formed on, a titanium buffer structure 3a and 32a, fig. 3f and fig. 8, formed on the insulation film. At the time the invention was made; it would have been obvious to one of ordinary skill in the art to combine the teaching of Kanaya with Summerfelt and Hiyama, because such FeRAM structure (transistor connection with capacitor) is conventional the art.

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thao X Le whose telephone number is 703-306-0208. The examiner can normally be reached on M-F from 8:00 AM - 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wael M Fahmy can be reached on 703-308-4918. The fax phone numbers for the organization where this application or proceeding is assigned are 703-308-7722 for regular communications and 703-308-7722 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number as 703-308-0956.

Thao X. Le August 14, 2003 LONG PHAMINER